



Safety Data Sheet

OSHA Hazard Communication Standard
29 CFR 1910.1200. Prepared to GHS Rev 3.

Revision date: January 29, 2019
Page: 1/5

CHEMEON® Anti Fume 9200

I IDENTIFICATION

Product identifier: CHEMEON® Anti Fume 9200
Other Names: Metalast Anti Fume 9200 (prior to June, 2015).
Product Code Number: Not applicable.
Recommended use: Fume suppressant for sulfuric acid anodize solution.
Recommended restrictions: Uses other than as recommended above.

Manufacturer/Importer/Supplier/Distributor information:

Company Name: CHEMEON Surface Technology, LLC.
Company Address: 2241 Park Place, Bldg. B
Minden, NV 89423.
Company Telephone: (775) 782-8324
Company Contact Name: Customer Service
8:00 AM – 5:00 PM PST, Mon-Fri.
Emergency phone number: Chemtrec 24 hr. Emergency Telephone
800-424-9300 within U.S
703-527-3887 outside U.S.

II HAZARD IDENTIFICATION

WARNING 

Harmful if swallowed.

Wash hands and face thoroughly after handling. Do not eat drink or smoke when using this product.

Dispose of contents/container in accordance with local, state and federal regulations.
If swallowed: Call a doctor if you fell unwell..

III COMPOSITION/INFORMATION ON INGREDIENTS

Material or Component	CAS No	%*
Octphenol ethoxylate	9002-93-1	10-50

*exact concentration is trade secret the range given is meant to help with protecting workers

IV FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:

Emergency and First Aid Procedures

Eyes: Flush with water for 15 minutes. If burning or irritation persists see a doctor.

Skin: Flush with water for 15 minutes. If irritation persists see a doctor.

Inhalation: Remove to fresh air.

Ingestion: Induce vomiting. If unconscious, get medical attention.

V FIRE FIGHTING MEASURES

Flash Point (test method)	Not Applicable
Autoignition Ignition Temperature	Not Applicable
Flammable Limits in Air % by volume	Not Applicable
Extinguishing Media	Water, CO2, Dry chemical
Special Firefighting Procedures	Not Applicable
Unusual Fire or Explosion Hazards	None

VI. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Collect with acid absorbent material and disposed of according to local regulations.

NEUTRALIZING CHEMICALS:

WASTE DISPOSAL METHOD: The bath will have to be neutralized to an acceptable pH and disposed of according to local regulations. Any alkali may be used. Care should be taken since heat and steam may be produced especially when neutralizing the product.

VII. Handling and Storage

Precautionary Statements: Non-hazardous liquid.

Other Handling and Storage Requirements:

VIII Exposure Controls/Personal Protection

Routes of Exposure

Inhalation: If mist is inhaled may cause irritation of nose and throat.

Skin Contact: May cause irritation and redness of eyes.

Skin Absorption: Not absorbed

Eye Contact: May cause irritation and redness of eyes.

Ingestion: May be irritating to throat and stomach.

Effects of Overexposure

Acute Overexposure: May cause irritation and redness to skin, eyes, nose and throat.

Chronic Overexposure: None known.

SPECIFIC PERSONNEL PROTECTIVE EQUIPMENT

Respiratory: None
 Eye: Safety glasses, face shield or chemical goggles.
 Gloves: Rubber gloves.
 Other clothing and equipment Rubber apron, rubber boots

IX PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor	Clear liquid
Boiling Point	>212°F
Melting Point	NA
Freezing Point	<32°F
Vapor Pressure	NA
Vapor Density	NA
Specific Gravity/Wt.per gal	1.00/8.33lbs/gal
Solubility in Water %By wt	100
%Volatiles by wt	0
Evaporation Rate (Butyl Acetate=1)	Not Known
Flash Point	NA
Upper/Lower Flammability/explosive limit	NA
Odor Threshold	NA
Auto Ignition Temperature	NA
Decomposition Temperature	NA
Viscosity	NA
pH	6.5-7.5

X. STABILITY AND REACTIVITY

Conditions Contributing to Instability:	None
Incompatibility:	None
Hazardous Decomposition Products:	None
Conditions Contributing to Hazardous Polymerization:	None

XI TOXICOLOGICAL INFORMATION

EMERGENCY AND FIRST AID PROCEDURES:

Inhalation: If mist is inhaled may cause irritation of nose and throat.
Skin Contact: May cause irritation and redness of eyes.
Skin Absorption: Not absorbed
Eye Contact: May cause irritation and redness of eyes.
Ingestion: May be irritating to throat and stomach.

Effects of Overexposure

Acute Overexposure: May cause irritation and redness to skin, eyes, nose and throat.
Chronic Overexposure: None known.

Emergency and First Aid Procedures

Eyes: Flush with water for 15 minutes. If burning or irritation persists see a doctor.
Skin: Flush with water for 15 minutes. If irritation persists see a doctor.
Inhalation: Remove to fresh air.
Ingestion: Induce vomiting. If unconscious, get medical attention.

XII. ECOLOGICAL INFORMATION

Not Known

XIII. DISPOSAL CONSIDERATIONS

NEUTRALIZING CHEMICALS:

WASTE DISPOSAL METHOD: The bath will have to be neutralized to an acceptable pH and disposed according to local regulations. Any alkali may be used. Care should be taken since heat and steam may be produced especially when neutralizing the product.

XIV. TRANSPORT INFORMATION

Non hazardous compound, n.o.s

XV. REGULATORY INFORMATION

This product contains a chemical which is subject to the reporting requirements of Section 313 of the Emergency Planning Community Right-To-Know Act of 1986 and of 40 CFR 372

XVI. OTHER INFORMATION

HMIS: Fire 0 Health 1 Reactivity 0 Personal Protection B

To the best of our knowledge, the information contained herein is accurate. However, CHEMEON Surface Technology, LLC does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.